INTERNATIONAL JOURNAL OF
REMOTE SENSING

An official journal of the
Remote Sensing Society

VOLUME 17 1996

Taylor & Francis
Publishers since 1798

Typeset, printed and bound in Great Britain by
The Charlesworth Group, Huddersfield, 01484 517077

CONTENTS OF VOLUME 17

NUMBER 1

Cover. Remote sensing observations of a vortex street downstream of an obstacle in an estuarine flow. **G. Ferrier, P. A. Davies and J. M. Anderson** 1

Tropical secondary forest regrowth in the Amazon: age, area and change estimation with Thematic Mapper data. **M. K. Steininger** 9

Forest cover mapping of West Bengal with special reference to North Bengal using IRS-1B satellite LISS II data. **S. Sudhakar, S. Sengupta, I. Venkata Ramana, A. K. Raha and B. K. Bardhan Roy** 29

Controlling continuously updated forest data by satellite remote sensing. **J. Varjo** 43

Contextual correction: techniques for improving land cover mapping from remotely sensed images. **G. B. Groom, R. M. Fuller and A. R. Jones** 69

The use of satellite images for mapping of landscape and biological diversity in the Sahel. **A. F. Jørgensen and H. Nøhr** 91

Multi-spectral facies in prevalent carbonate strata of an area of Migiurtinia (northern Somalia): analysis and interpretation. **M. C. Ferrari, M. Sgavetti and R. Chiari** 111

Évaluation de deux méthodes de correction géométrique d'images Landsat TM et ERS-1 RAS dans une étude de linéaments géologiques. **D. De Sève, Th. Toutin et R. Desjardins** 131

Landsat Thematic Mapper data analysis for Quaternary tectonics in parts of the Doon valley, NW Himalaya, India. **G. Philip** 143

Remote sensing of the water attenuation in coral reefs: a case study in French Polynesia. **S. Maritorena** 155

Field observations of microwave backscatter from Weddell Sea ice. **V. I. Lytle, K. C. Jezek, S. P. Gogineni and A. R. Hosseinmostafa** 167

DEM corrected ERS-1 SAR data for snow monitoring. **T. Guneriussen, H. Johnsen and K. Sand** 181

Fast navigation of AVHRR images using complex orbital methods. **P. S. Crawford, A. R. Brooks and R. J. H. Brush** 197

Book reviews 213

Remote Sensing Letters

Evaluation of the NOAA/NASA Pathfinder AVHRR Land Data Set for global primary production modelling. **S. D. Prince and S. N. Goward** 217

The influence of relative sample size in training artificial neural networks. **P. A. Blamire** 223

NUMBER 2

Cover. A colour composite of NOAA-AVHRR-NDVI based on time series analysis (1981–1992). **W. Verhoef, M. Menenti and S. Azzali** 231

Comparison of two atmospheric correction methods for Landsat TM thermal band. **E. Hurtado, A. Vidal and V. Caselles** 237

An assessment of radiance in Landsat TM middle and thermal infrared wavebands for the detection of tropical forest regeneration. **D. S. Boyd, G. M. Foody, P. J. Curran, R. M. Lucas and M. Honzak** 249

Large area vegetation mapping in the Gisborne district, New Zealand, from Landsat TM. **J. R. Dymond, M. J. Page and L. J. Brown** 263

Shadowing effects on SPOT-HRV and high spectral resolution reflectances in Christmas tree plantations. **B. Leblon, H. Granberg and S.-D. Charland** 277

Woodland area estimation by spectral mixing: applying a goodness-of-fit solution method. **G. Thomas, S. E. Hobbs and M. Dufour** 291

Neogene geologic structures using enhanced Thematic Mapper over eastern Zagros Mountains. **M. N. Bushara** 303

Validated linear mixture modelling of Landsat TM data for mapping evaporite minerals on a playa surface: methods and applications. **R. G. Bryant** 315

The application of imaging spectrometry data to mapping alteration zones associated with gold mineralization in southern Spain. **G. Ferrier and G. Wadge** 331

Technical Note. Grass chlorophyll and the reflectance red edge. **A. Pinar and P. J. Curran** 351

Determination of sea surface temperature using combined TOVS and AVHRR data. Application to the Canary Islands area, Spain. **M. Arbelo, F. Herrera, F. J. Exposito, V. Caselles and C. Coll** 359

Cell wall elasticity and Water Index (R970 nm/R900 nm) in wheat under different nitrogen availabilities. **J. Peñuelas, I. Filella, L. Serrano and R. Savé** 373

A functional analytic method to derive displacement vector fields from satellite image sequences. **L. Bannehr, M. Rohn and G. Warnecke** 383

Technical Note. Infrared remote sensing of total ozone content around the Indian region. **P. C. Joshi and V. K. Ramesh** 393

Technical Note. The use of TOMS data in the calculation of atmospheric turbidity parameters. **C. A. Varotsos, A. P. Cracknell, N. A. Kaltsounidis and C. P. Jacovides** 399

Remote Sensing Letters

A preliminary investigation into the spectral characteristics of inter-tidal estuarine sediments. **R. Bryant, A. Tyler, D. Gilvear, P. McDonald, I. Teasdale, J. Brown and G. Ferrier** 405

Demonstration of an improved calibration scheme for ERS-1 SAR imagery using a scatterometer wind model. **A. Scoon, I. S. Robinson and P. J. Meadows** 413

A contextual algorithm for AVHRR fire detection. **S. P. Flasse and P. Ceccato** 419

NUMBER 3

Cover. Determination of space imagery contrast by a multi-spectral optimized method with AVHRR. **J. R. Givri** 425

Review Article. Thermal inertia determination from space—a tutorial review. **A. P. Cracknell and Y. Xue** 431

The surface temperature–vegetation index space for land cover and land-cover change analysis. **E. F. Lambin and D. Ehrlich** 463

Spectrometric estimation of total nitrogen concentration in Douglas-fir foliage. **L. F. Johnson and C. R. Billow** 489

The extraction of soil dielectric properties from AIRSAR data. **G. R. Taylor, A. H. Mah, F. A. Kruse, K. S. Kierein-Young, R. D. Hewson and B. A. Bennett** 501

What determines the spectral reflectance of the Negev-Sinai sand dunes. **H. Tsoar and A. Karnieli** 513

Application of Landsat Thematic Mapper data in sabkha studies at the Red Sea coast. **M. M. Al Saifi and M. Y. H. T. Qari** 527

Fuzzy classification of spatially degraded Thematic Mapper data for the estimation of sub-pixel components. **F. Maselli, A. Rodolfi and C. Conese** 537

Mapping Pleistocene-age shoreline deposits in the seismically-active Salton Trough using thermal infrared multi-spectral scanner (TIMS) data. **R. Sturm, D. Stow and T. Rockwell** 553

A navigation algorithm for satellite images. **P. Illera, J. A. Delgado and A. Calle** 577

Sparse inverse covariance matrices and efficient maximum likelihood classification of hyperspectral data. **R. E. Roger** 589

Remote Sensing Letters

Desert-scrub as the cause of reduced reflectances in protected versus impacted sandy arid areas. **J. Otterman** 615

Performance characteristics of the indicator classifier on simulated image data. **F. van der Meer** 621

Precision focusing algorithms for spaceborne Synthetic Aperture Radar (SAR). **A. W.-C. Heng, H. Lim, S. C. Liew and B. T. G. Tan** 629

Estimation of ground heat flux using AVHRR data and an advanced thermal inertia model (SoA-TI model). **A. P. Cracknell and Y. Xue** 637

Spectral characterization of suspended sediments generated from two texture classes of clay soil. **L. Han and D. C. Rundquist** 643

NUMBER 4

Cover. Satellite remote sensing applications for snow cover characterization in the morphogenetic regions of upper Tista river basin, Sikkim Himalaya. **A. P. Krishna** 651

Evaluation of SMMR satellite-derived snow depth using ground-based measurements. **A. Tait and R. Armstrong** 657

Operational use of ERS-1 SAR images in the Canadian ice monitoring programme. **M. E. Shokr, B. Ramsay and J. C. Falkingham** 667

Prediction of river discharge and surface water quality using an integrated geographical information system approach. **N. M. Mattikalli, B. J. Devereux and K. S. Richards** 683

Using image subtraction and classification to evaluate change in sub-tropical intertidal wetlands. **P. E. R. Dale, A. L. Chandica and M. Evans** 703

Assessment of interannual variation (1979–1986) in pigment concentrations in the tropical Pacific using the CZCS. **C. L. Leonard and C. R. McClain** 721

Remote sensing of ephemeral water bodies in western Niger. **J. P. Verdin** 733

An application of satellite-derived sea surface temperature data to the skipjack (*Katsuwonus pelamis* Linnaeus, 1758) and albacore tuna (*Thunnus alalunga* Bonaterre, 1788) fisheries in the north-east Atlantic. **A. G. Ramos, J. Santiago, P. Sangra and M. Canton** 749

Surface circulation off Somalia and western equatorial Indian Ocean during summer monsoon of 1988 from Geosat altimeter data. **B. Subrahmanyam, V. Ramesh Babu, V. S. N. Murty and L. V. Gangadhara Rao** 761

Instantaneous near-surface level humidity from ERS-1/ATSR observations: a case study in the Indian Ocean. **A. K. Mathur, S. Ilanthirayan and Vijay K. Agarwal** 771

Simple modelling of radar backscattering coefficient over a bare soil: variation with incidence angle, frequency and polarization. **I. Champion** 783

The numerical calculation of two-dimensional rough surface scattering by the conjugate gradient method. **F. Chen** 801

Fuzzy classification of earth terrain covers using complex polarimetric SAR data. **L. Du and J. S. Lee** 809

Remote Sensing Letters

L'extraction du réseau routier urbain à partir d'images SPOT HRV. **D. Wang, D.-C. He, L. Wang et D. Morin** 827

Characterizing land cover dynamics using multi-temporal imagery. **D. S. Alves and D. L. Skole** 835

NUMBER 5

Cover. Are there detectable discrete boundaries between African biomes? **J.-P. Malingreau, D. Ehrlich and E. F. Lambin** 841

Broad scale land-cover classification and interannual climatic variability. **D. Ehrlich and E. F. Lambin** 845

Contribution des signatures spectrales et des textures à la cartographie géologique par classification dirigée d'image du HRV-XS de SPOT en régime désertique: exemple du secteur minier de Zgounder (Anti-Atlas, Maroc). **A. Emran, M. Hakdaoui et J. Chorowicz** 863

Amélioration de l'apport thématique d'une image SPOT XS par les processus spatiaux et une méthode de segmentation: application à la région de Lagdo (Nord-Cameroun). **A. Khodja et A. Mengue** 879

Textural classification for ecological research using ATM images. **O. Dikshit** ... 887

Monitoring the effects of *Dracunculiasis* remediation on agricultural productivity using satellite data. **S. C. Ahearn and C. de Rooy** 917

An analysis of land use/cover change using the combination of MSS Landsat and land use map—a case study in Yogyakarta, Indonesia. **M. Dimyati, K. Mizuno, S. Kobayashi and T. Kitamura** 931

Improved ground sampling and crop yield estimation using satellite data. **C. S. Murthy, S. Thiruvengadachari, P. V. Raju and S. Jonna** 945

An iterative classification approach for mapping natural resources from satellite imagery. **J. San Miguel-Ayanz and G. S. Biging** 957

Testing the Woodcock–Harward image segmentation algorithm in an area of southern California chaparral and woodland vegetation. **J. Shandley, J. Franklin and T. White** 983

Direct decorrelation stretch technique for RGB colour composition. **Liu Jian Guo and J. McM. Moore** 1005

Variations in the Odden, Greenland Sea—an interpretation of Special Sensor Microwave/Imager ice concentration data. **E. G. Mitchelson-Jacob** 1019

The signal-to-noise ratio (SNR) required for the estimation of foliar biochemical concentrations. **G. M. Smith and P. J. Curran** 1031

Book reviews 1059

Remote Sensing Letters

Optimization of the Gamma-Gamma MAP filter for SAR image clutters. **M. Beauchemin, K. P. B. Thomson and G. Edwards** 1063

In orbit calibration of the ATSR-1 1·6 μm channel using high resolution data from the JERS-1 (Fuyo-1) Optical Sensor. **M. J. Wooster** 1069

Classification trees: an alternative to traditional land cover classifiers. **M. Hansen, R. Dubayah and R. Defries** 1075

Adaptive majority filtering for contextual classification of remote sensing data. **Kwang E. Kim** 1083

NUMBER 6

Cover. Application of the NOAA-AVHRR images to the study of the large forest fires in Spain in the summer of 1994. **F. Gonzalez-Alonso, J. L. Casanova, A. Calle, J. M. Cuevas and P. Illera** 1089

Temporal evolution of the NDVI as an indicator of forest fire danger. **P. Illera, A. Fernández and J. A. Delgado** 1093

Forest canopy chemistry with high spectral resolution remote sensing. **F. Zagolski, V. Pinel, J. Romier, D. Alcayde, J. Fontanari, J. P. Gastellu-Etchegorry, G. Giordano, G. Marty, E. Mougin and R. Joffre** 1107

Proposal and investigation of a method for estimating surface energy balance in regional forests using TM derived vegetation index and observatory routine data. **D. Kaneko and M. Hino** 1129

Interactions between land cover and convective cloud cover over Midwestern North America detected from GOES satellite data. **M. O'Neal** 1149

Long term (1983–1994) calibration of the Meteosat solar (VIS) channel using desert and ocean targets. **C. Moulin, C. E. Lambert, J. Poitou and F. Dulac** 1183

A spatially adaptive fast atmospheric correction algorithm. **R. Richter** 1201

Detection of atmospheric gases using GER 63 channel scanner data acquired over Makhtesh Ramon, Negev, Israel. **E. Ben-Dor and F. A. Kruse** 1215

Classification of remotely-sensed imagery using an indicator kriging approach: application to the problem of calcite-dolomite mineral mapping. **F. van der Meer** 1233

Book reviews 1251

Remote Sensing Letters

Determining patch perimeters in raster image processing and geographic information systems. **R. L. Lawrence and W. J. Ripple** 1255

Optimistic bias in classification accuracy assessment. **T. O. Hammond and D. L. Verbyla** 1261

Classification of radar imagery over boreal regions for methane exchange studies. **S. L. Durden, Z. S. Haddad, L. A. Morrissey and G. P. Livingston** ... 1267

NUMBER 7

Cover. Sunglint in INSAT-VHRR images. **S. M. Bhandari and W. J. Prakash** 1275

A new perspective on oil slick detection from space by NOAA satellites. **G. Borzelli, A. Ciappa, C. Ulivieri, G. Antonelli and G. Laneve** 1279

Sea surface effects on the sea surface temperature estimation by remote sensing—Part 2. **R. Yokoyama and M. Konda** 1293

A parametric soil BRDF model: a four stream approximation for multiple scattering. **S. Liang and J. R. G. Townshend** 1303

Approaches for the production and evaluation of fuzzy land cover classifications from remotely-sensed data. **G. M. Foody** 1317

Relations between tropical forest biophysical properties and data acquired in AVHRR channels 1–5. **G. M. Foody, D. S. Boyd and P. J. Curran** 1341

An adaptive order-statistics filter for SAR images. **L. Alparone, S. Baronti, R. Carlà and C. Puglisi** 1357

Correction of satellite radar altimeter data on ice-covered surfaces in Antarctica using an integrated Geographical Information System. **A. P. R. Cooper and J. C. Hinton** 1367

A remote sensing and GIS-based methodology for the delineation and characterization of rainfed rice environments. **V. P. Singh and A. N. Singh** 1377

Environmental impact assessment of a few selected watersheds of the Chamoli district (Central Himalaya) using remotely sensed data. **M. M. Kimothi and N. Juyal** 1391

Remote Sensing Letters

On unsupervised segmentation of remotely sensed imagery using nonlinear regression. **S. T. Acton** ... 1407

Evaluation of forest fire risk by the analysis of environmental data and TM images. **F. Maselli, A. Rodolfi, L. Bottai and C. Conese** ... 1417

The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. **S. K. McFeeters** ... 1425

NUMBER 8

Cover. A satellite picture reveals seismically potential tectonic structures in north-east India. **J. D. Das, A. K. Saraf and A. K. Jain** ... 1433

Satellite thermal survey—a new tool for the study of seismoactive regions. **A. A. Tronin** ... 1439

Multispectral image data fusion under a Bayesian approach. **N. D. A. Mascarenhas, G. J. F. Banon and A. L. B. Candeias** ... 1457

Technical Note. A method to improve classification with shape information. **X. Li** 1473

A knowledge-based system for the computation of land cover mixing and the classification of multi-spectral satellite imagery. **S. Mathieu-Marni, S. Moisan and R. Vincent** ... 1483

Removing ambiguities in a multi-spectral image classification. **S. Mathieu-Marni, P. Leymarie and M. Berthod** ... 1493

Capabilities of Landsat-5 Thematic Mapper (TM) data in regional mapping and characterization of inland valley agroecosystems in West Africa. **P. S. Thenkabail and C. Nolte** ... 1505

Variation of mixed layer depth obtained from Geosat altimeter observations in the equatorial Indian Ocean. **R. Sharma and M. M. Ali** ... 1539

Determination of chlorophyll and dissolved organic carbon from reflectance data for Colorado reservoirs. **R. F. Arenz, Jr, W. M. Lewis, Jr and J. F. Saunders, III** 1547

Natural and man-made sea slicks in the North Sea investigated by a helicopter-borne 5-frequency radar scatterometer. **H. Hühnerfuss, W. Alpers, H. Dannhauer, M. Gade, P. A. Lange, V. Neumann and V. Wismann** ... 1567

Rainfall estimation in south-west Tasmania using satellite images and phytosociological calibration. **M. Nunez, J. B. Kirkpatrick and C. Nilsson** ... 1583

Remote Sensing Letters

Modified Lyzenga's method for macroalgae detection in water with non-uniform composition. **S. Tassan** ... 1601

Reflectance spectrophotometry of cyanobacteria within soil crusts—a diagnostic tool. **A. Karnieli and V. Sarafis** ... 1609

NUMBER 9

Cover. 7 October 1995 eruption of Mt Ruapehu, New Zealand, observed by NOAA AVHRR. **K. White and B. Hockey** ... 1617

Identification and mapping of minerals in drill core using hyperspectral image analysis of infrared reflectance spectra. **F. A. Kruse** ... 1623

Metamorphic facies zonation in the Ronda peridotites: spectroscopic results from field and GER imaging spectrometer data. **F. Van Der Meer** 1633

Detection of drainage channel networks on digital satellite images. **C. Ichoku, A. Karnieli, A. Meisels and J. Chorowicz** 1659

Integration of multi-seasonal remotely-sensed images for improved landuse classification of a hilly watershed using geographical information systems. **J. Adinarayana and N. Rama Krishna** 1679

Yield estimation for corn and wheat in the Hungarian Great Plain using Landsat MSS data. **D. Hamar, C. Ferencz, J. Lichtenberger, G. Tarcsai and I. Ferencz-Árkos** 1689

Volume and forest cover estimation over southern Sweden using AVHRR data calibrated with TM data. **Z. Fazakas and M. Nilsson** 1701

A multi-year composite of GVI data as a clear reflectance database. **S. Bouffiès and F.-M. Bréon** 1711

Comparative performance of thematic mapper middle-infrared bands in crop discrimination. **V. K. Dadhwal, J. S. Parihar, T. T. Medhavy, D. S. Ruhal, S. D. Jarwal and A. P. Khera** 1727

Estimation of paddy field area using the area ratio of categories in each mixel of Landsat TM. **K. Okamoto and M. Fukuhara** 1735

Edge detection and speckle adaptive filtering for SAR images based on a second-order textural measure. **M. Beauchemin, K. P. B. Thomson and G. Edwards** 1751

Applications of simulated annealing to SAR image clustering and classification problems. **S. Le Hegarat-Mascle, D. Vidal-Madjar and P. Olivier** 1761

Iceberg detection using ERS-1 Synthetic Aperture Radar. **C. J. Willis, J. T. Macklin, K. C. Partington, K. A. Teleki, W. G. Rees and R. G. Williams** 1777

NUMBER 10

Cover. Three-dimensional digital elevation model of Mt Vesuvius from NASA/JPL TOPSAR. **G. Alberti, S. Esposito and S. Ponte** 1797

Review Article. SAR interferometry—issues, techniques, applications. **R. Gens and J. L. van Genderen** 1803

A method of speckle noise reduction for SAR data. **H. Wakabayashi and K. Arai** 1837

Use of active and passive microwave remote sensing for soil moisture estimation through corn. **P. E. O'Neill, N. S. Chauhan and T. J. Jackson** 1851

An approach to demarcate ground water potential zones through remote sensing and a geographical information system. **J. Krishnamurthy, N. Venkatesa Kumar, V. Jayaraman and M. Manivel** 1867

Effets de la couleur et de la brillance du sol sur les indices de végétation. **A. Bannari, A. R. Huete, D. Morin and F. Zagolski** 1885

Monitoring of salt-affected soils of the Indo-Gangetic alluvial plains using principal component analysis. **R. S. Dwivedi** 1907

Characteristics of the 1 km AVHRR data set for North America. **Z-L. Zhu and L. Yang** 1915

Comparison of fire detection in savannas using AVHRR's channel 3 and TM images. **A. C. Pereira JR and A. W. Setzer** 1925

The decorrelation stretch transformation. **N. A. Campbell** 1939

Reliably estimating the noise in AVIRIS hyperspectral images. **R. E. Roger and J. F. Arnold** 1951

Remote Sensing Letters

Operational algorithm to correct the along track and across track striping in the JERS-1 OPS images. **S. Bizzi, O. Arino and P. Goryl** 1963

Locating the detonation point of China's first nuclear explosive test on 16 October 1964. **V. Gupta and D. Rich** 1969

NUMBER 11

Cover. The 1993 Lascar pyroclastic flow imaged by JERS-1. **A. M. Denniss, A. J. L. Harris, R. W. Carlton, P. W. Francis and D. A. Rothery** 1975

Mapping of the volcanic ashes from the 1991 Hudson eruption using NOAA-AVHRR data. **H. Kerdiles and R. Diaz** 1981

Structural interpretation of aeromagnetic data, Gabal Zubeir area, North Eastern Desert, Egypt. **H. A. Hussein, S. I. Rabie and S. H. Abdel Nabie** 1997

Remote sensing and GIS for an oil spill contingency plan, Ras-Mohammed, Egypt. **M. El-Raey, A. Farid Abdel-Kader, S. M. Nasr and H. I. El-Gamily** 2013

Processing and accuracy of Landsat Thematic Mapper data for lake surface temperature measurement. **K. Schneider and W. Mauser** 2027

Speckle reduction and segmentation of Synthetic Aperture Radar images. **D. M. Smith** 2043

Automatic ice motion retrieval from ERS-1 SAR images using the optical flow method. **Y. Sun** 2059

Multi-channel and multi-angle algorithms for estimating sea and land surface temperature with ATSR data. **J. A. Sobrino, Z-L. Li, M. P. Stoll and F. Becker** ... 2089

Geostatistical description of texture on an aerial photograph for discriminating classes of land cover. **R. M. Lark** 2115

The effects of image scale on delineation of eroded lands using remote sensing data. **A. B. Kumar, R. S. Dwivedi and K. N. Tiwari** 2135

A procedure to infer complex refractive index and mean particle radius of soils from visible and near-infrared reflectance data. **T. Ishida and J. C. Price** 2145

Retrieval of aerosol spectral optical thickness from AVIRIS data. **V. Y. Isakov, R. E. Feind, O. B. Vasilyev and R. M. Welch** 2165

Georeferencing of airborne laser altimeter measurements. **C. R. Vaughn, J. L. Bufton, W. B. Krabill and D. Rabine** 2185

Improving spectral results in a GIS context. **J. L. Palacio-Prieto and L. Luna-González** 2201

Book reviews 2211

NUMBER 12

Cover. The 1995 Australia Prize. **J. Thomson** 2213

Review Article. Hyperspectral geological remote sensing: evaluation of analytical techniques. **E. A. Cloutis** 2215

Monitoring of desertification process in Karnataka state of India using multi-temporal remote sensing and ancillary information using GIS. **G. K. Tripathy, T. K. Ghosh and S. D. Shah** 2243

Extraction of the pure spectral response of the landscape components in NOAA-AVHRR mixed pixels—application to the HAPEX-Sahel degree square. **H. Ouaidrari, A. Bégué, J. Imbernon and J. M. D'Herbes** 2259

Airborne thermal data for evaluating the spatial distribution of actual evapotranspiration over a watershed in oceanic climatic conditions—application of semi-empirical models. **D. Courault, B. Aloui, J.-P. Lagouarde, P. Clastre, H. Nicolas and C. Walter** 2281

Spatial and temporal accuracy of coarse resolution products of NOAA-AVHRR NDVI data. **T. P. Robinson** 2303

Canonical correlation analysis of coniferous forest spectral and biotic relations. **M. E. Jakubauskas** 2323

Point accuracy of a non-parametric method in estimation of forest characteristics with different satellite materials. **T. Tokola, J. Pitkänen, S. Partinen and E. Muinonen** 2333

Classification of tropical forest classes from Landsat TM data. **G. M. Foody and R. A. Hill** 2353

Eco-climatic classification of Tuscany through NOAA-AVHRR data. **F. Maselli, L. Petkov, G. Maracchi and C. Conese** 2369

Classification of Mediterranean crops with multisensor data: per-pixel *versus* per-object statistics and image segmentation. **A. Lobo, O. Chic and A. Casterad** 2385

A knowledge-based approach for C-factor mapping in Spain using Landsat TM and GIS. **A. Folly, M. C. Bronsveld and M. Clavaux** 2401

Remote sensing of sea surface Sun-induced chlorophyll fluorescence: consequences of natural variations in the optical characteristics of phytoplankton and the quantum yield of chlorophyll *a* fluorescence. **M. Babin, A. Morel and B. Gentili** 2417

Absorption spectra of inorganic particles in the Irish Sea and their relevance to remote sensing of chlorophyll. **D. G. Bowers, G. E. L. Harker and B. Stephan** 2449

Book review 2461

Remote Sensing Letters

Monitoring of straw burning in the U.K. using AVHRR data—Summer 1995. **A. P. Cracknell and M. R. Saradjian** 2463

Understanding of partial polarization in polarimetric SAR data. **Y. Dong and B. Forster** 2467

NUMBER 13

Cover. ERS-1 SAR interferogram of Mount Vesuvio (Italy). **F. Rocca, C. Prati and A. Monti Guarnieri** 2477

A system with predictive least-squares mathematical models for monitoring wildlife conservation sites using GIS and remotely-sensed data. **A. M. Al-garni** 2479

Performance analysis of IRS-bands for land use/land cover classification system using Maximum Likelihood Classifier. **M. Anji Reddy and K. M. Reddy** 2505

Dynamic aspects study of surface temperature from remotely-sensed data using advanced thermal inertia model. **A. P. Cracknell and Y. Xue** 2517

Interannual variability of NDVI over Africa and its relation to El Niño/ Southern Oscillation. **A. Anyamba and J. R. Eastman** 2533

Critical assessment of vegetation indices from AVHRR in a semi-arid environment **C. Leprieur, Y. H. Kerr and J. M. Pichon** 2549

Agricultural crop condition monitoring using airborne C-band synthetic aperture radar in southern Alberta. **E. A. Cloutis, D. R. Connery, D. J. Major and F. J. Dover** 2565

Airborne multi-spectral monitoring of agricultural crop status: effect of time of year, crop type and crop condition parameter. **E. A. Cloutis, D. R. Connery, D. J. Major and F. J. Dover** 2579

SAR observations of Arctic freeze-up compared to SSM/I during ARCTIC'91. **M. I. Pettersson, J. Askne and D. J. Cavalieri** 2603

Extraction of winter total sea-ice concentration in the Greenland and Barents Seas from SSM/I data. **D. M. Smith** 2625

Statistics of spatial-temporal variations of sea surface height based on Topex altimeter measurements. **R. E. Glazman, A. Fabrikant and A. Greysukh** 2647

Ocean surface profiling lidar. **C. S. Lin** 2667

NUMBER 14

Cover. 2681

Wildlife habitat analysis for 'sambar' (*Cervus unicolor*) in Kanha National Park using remote sensing. **M. C. Porwal, P. S. Roy and V. Chellamuthu** 2683

Les systèmes légers de télédétection aéroportée pour les sciences de la Terre. **A. Tarussov, J-M. M. Dubois et M. Wenzl** 2699

Principal Components transform with simple, automatic noise adjustment. **R. E. Roger** 2719

Determining uncertainties and their propagation in dynamic change detection based on classified remotely-sensed images. **W. Z. Shi and M. Ehlers** 2729

Post-launch calibration of the visible and near-infrared channels of the Advanced Very High Resolution Radiometer on the NOAA-14 spacecraft. **C. R. Nagaraja Rao and Jianhua Chen** 2743

Land cover mapping and monitoring from NOAA AVHRR data in Bangladesh. **C. Giri and S. Shrestha** 2749

Monitoring regional drought using the Vegetation Condition Index. **W. T. Liu and F. N. Kogan** 2761

Estimation of precipitable water vapour from NOAA–AVHRR data during the Hapex Sahel experiment. **H. S. Andersen** 2783

Interpretation of simulated radar-altimetric waveforms: surfaces of constant elevation (sea-ice or flat land). **E. Novotny** 2803

Accurate attitude estimation using ERS-1 SAR raw data. **K. Eldhuset** 2827

Cloud detection from thermal infrared images using a segmentation technique. **D. Shin, J. K. Pollard and J.-P. Muller** 2845

Classification of cloud complexity in severe weather conditions over the Ionian sea and the south-east Dodecanese using Meteosat data. **A. I. Anthis, L. W. B. Hayes, R. A. Vaughan and A. P. Cracknell** 2857

Remote Sensing Letters

Analysis of human impact on a forested landscape of central Italy with a simplified NDVI texture descriptor. **C. Ricotta, G. C. Avena and F. Ferri** 2869

Estimation of microwave parameters of crops from radiometric measurements. **J.-P. Wigneron, B. Combal, U. Wegmüller and C. Mätzler** 2875

Enhanced estimation of apparent surface reflectance. **G. Ferrier** 2881

Announcement 2891

Errata 2892

NUMBER 15

Cover. The wake of Hurricane Felix. **N. B. Nelson** 2893

Comparison of ECMWF and satellite ocean wind speeds from 1985 to 1992. **J. Boutin, L. Siefridt, J. Etcheto and B. Barnier** 2897

Technical Note. Multi-temporal change of Lake Brullus, Egypt, from 1983 to 1991. **S. K. Guirguis, H. M. Hassan, M. E. El-Raey and M. M. A. Hussain** 2915

New enhancement techniques for azimuthal analysis of lineaments for detecting tectonic trends in and around the Afro-Arabian Shield. **M. E. Mostafa and F. A. Zakir** 2923

Landsat MSS imagery of a Lower Cretaceous regional dyke swarm, Damaraland, Namibia: a precursor to the splitting of Western Gondwana. **J. Lord, G. J. H. Oliver and J. A. Soulsby** 2945

Compression of the Global Land 1-km AVHRR dataset. **B. L. Kess, D. R. Steinwand and S. E. Reichenbach** 2955

Estimating the effective spatial resolution of an AVHRR time series. **D. J. Meyer** 2971

Atmospheric optical depth and water vapour effects on the angular characteristics of surface reflectance in NOAA AVHRR. **H. Rahman** 2981

Potentiality of Landsat, SPOT and IRS satellite imagery, for recognition of salt affected soils in Indian Arid Zone. **N. K. Kalra and D. C. Joshi** 3001

Vegetation mapping on hardwood rangelands in California. **S. L. Ustin, Q. J. Hart, L. Duan and G. Scheer** 3015

Sensitivity of ERS-1 SAR to variations in soil water in fire-disturbed boreal forest ecosystems. **N. H. F. French, E. S. Kasischke, L. L. Bourgeau-Chavez and P. A. Harrell** 3037

Interfacing remote sensing and GIS methods for sustainable rural development. **S. P. S. Kushwaha, S. K. Subramanian, G. Ch. Chennaiah, J. Ramana Murthy, S. V. C. Kameswara Rao, A. Perumal and G. Behera** 3055

Remote Sensing Letters

The comparison of vegetation index and surface temperature composites for urban heat-island analysis. **K. P. Gallo and J. D. Tarpley** 3071

Remote sensing of biophysical variables in boreal forest stands of *Picea mariana*. **F. G. Hall, D. R. Peddle and E. F. Ledrew** 3077

Exploring the need to revise atmospheric correction algorithms of satellite sensor images for the area of Greece. **C. Cartalis and A. Retalis** 3083

NUMBER 16

Cover. Global land surface topography derived from the geodetic phase of ERS-1. **J. L. Bamber, J. A. D. Mansley and D. J. Wingham** 3089

The integration of spatial context information in an experimental knowledge-based system and the supervised relaxation algorithm—two successful approaches to improving SPOT-XS classification. **C. C. Kontoes and D. Rokos** 3093

Microwave radiometer model simulation. **A. R. L. Tatnall, R. P. Donnelly and J. E. Charlton** 3107

The influence of spatial resolution enhancement applied to SSM/I data on pattern recognition. **B. Col and M. C. Mouchot** 3121

Remote sensing reflectance and its relationship to optical properties of natural waters. **J. H. Jerome, R. P. Bukata and J. R. Miller** 3135

Electronic overshoot and other bias in the CZCS Global Data Set: comparison with ground truth from the subarctic Pacific. **D. C. English, K. Banse, D. L. Martin and M. J. Perry** 3157

Hydrological modelling of snowmelt in the Italian Alps using visible and infrared remote sensing. **A. N. Swamy and P. A. Brivio** 3169

Using NOAA AVHRR data to estimate maize production in the United States Corn Belt. **M. J. Hayes and W. L. Decker** 3189

Monitoring global vegetation dynamics with ERS-1 wind scatterometer data. **P. L. Frison and E. Mougin** 3201

Evaluation of JERS-1, ERS-1 and Almaz SAR backscatter for rubber and oil palm stands in West Malaysia. **Å. Rosenqvist** 3219

Using satellite remote sensing analysis to evaluate a socio-economic and ecological model of deforestation in Rondônia, Brazil. **R. C. Frohn, K. C. McGwire, V. H. Dale and J. E. Estes** 3233

Mapping geological features of the Jharia coalfield from Landsat-5 TM data. **R. S. Chatterjee, J. Roy and A. K. Bhattacharya** 3257

Demarcation of geological and geomorphological features of parts of Dharwar Craton, Karnataka, using IRS LISS-II data. **J. Krishnamurthy and G. Srinivas** 3271

Book reviews 3289

Remote Sensing Letters

The relative merit of cloud/clear identification in the NOAA/NASA Pathfinder AVHRR Land 10-day composites. **G. Gutman and A. Ignatov** 3295

The field row direction relative to the radar azimuth considered as an apparent surface roughness for smooth bare soils. **I. Champion and R. Faivre** 3305

Mislocations in ERS-1 SAR geocoded images. **C. Sølvsteen** 3313

Errata 3319

NUMBER 17

Cover. A SPIRAL cloud over the North Sea. **F. H. Berger** 3323

Application of 1·38 μm imagery for thin cirrus detection in daytime imagery collected over land surfaces. **K. D. Hutchison and N. J. Choe** 3325

High resolution imagery from the Russian KATE-200 satellite camera: morphology and dynamics of ice masses in the European high Arctic. **J. A. Dowdeswell, M. R. Gorman, Y. Y. Macheret, A. F. Glazovsky and M. Y. Moskalevsky** ... 3343

A multispectral classification algorithm for classifying parcels in an agricultural region. **H. Erol and F. Akdeniz** 3357

Linear spectral mixture modelling to estimate vegetation amount from optical spectral data. **F. J. García-Haro, M. A. Gilabert and J. Meliá** 3373

Monitoring leaf area of sugar beet using ERS-1 SAR data. **H. Xu, M. D. Steven and J. W. Jaggard** 3401

Visible near-infrared radiation parameters for sugar-beets. **J. C. Price, M. Steven, B. Andrieu and K. Jaggard** 3411

Comparison of the detection of deforested areas using the ERS-1 ATSR and the NOAA-11 AVHRR with reference to ERS-1 SAR data: a case study in the Brazilian Amazon. **J. Conway, H. Eva and C. D'Souza** 3419

Spatial autocorrelation and optimal spatial resolution of optical remote sensing data in boreal forest environment. **H. Hyppänen** 3441

Regional network planning and the development of rural transportation using remote sensing techniques. **K. M. Lakshmana Rao** 3453

Extraction of spectral reflectance images from multi-spectral images by the HIS transformation model. **Z. Qi** 3467

An image-based retrieval algorithm of aerosol characteristics and surface reflectance for satellite images. **C. H. Liu, A. J. Chen and G. R. Liu** 3477

Reply to Gordon and Evans 'Comment on "Aerosol and Rayleigh radiance contributions to Coastal Zone Colour Scanner images" by Eckstein and Simpson'. **B. A. Eckstein and J. J. Simpson** 3501

Technical Note. Flood management using remote sensing technology: the Punjab (India) experience. **P. K. Sharma, Rajiv Chopra, V. K. Verma and A. Thomas** 3511

Remote Sensing Letters

Analysis of JERS-1 (Fuyo-1) SAR data for vegetation discrimination in northwestern Brazil using the semivariogram textural classifier (STC). **F. P. Miranda, L. E. N. Fonseca, J. R. Carr and J. V. Taranik** 3523

The use of the Gower metric statistic to compare temporal profiles from AVHRR data: a forestry and agriculture application. **N. C. Coops and P. A. Walker** 3531

NUMBER 18

Cover. Side-scan sonograph from the middle reaches of the Tay Estuary, Scotland. **S. F. K. Wewetzer and R. W. Duck** 3539

The application of remote sensing data in the study of effluent dispersal in the Tay estuary, Scotland. **G. Ferrier and J. M. Anderson** 3541

Alias impacts on the recovery of sea level amplitude and energy from altimeter measurements. **G. Chen and R. Ezraty** 3567

Simulation of ship wakes image by an along-track interferometric SAR. **L. Shemer, L. Kagan and G. Zilman** 3577

Forest recreation planning in Langkawi Island, Malaysia, using Landsat TM. **K. Jusoff and H. Md. Hassan** 3599

Utilisation des données du moyen infrarouge de Landsat Thematic Mapper pour la mise en évidence des coupes rases sur le Massif Forestier Landais. **A. Jolly, D. Guyon and J. Riom** 3615

Synergy of optical and polarimetric microwave data for forest resource assessment. **J. San Miguel-Ayanz** 3647

Performance of several Landsat 5 Thematic Mapper (TM) image classification methods for crop extent estimates in an irrigation district. **P. M. Barbosa, M. A. Casterad and J. Herrero** 3665

A remote sensing analysis of vegetation damage around metal smelters in the Kola Peninsula, Russia. **K. Mikkola** 3675

Geometrical modelling of soil bidirectional reflectance incorporating specular effects. **J. Cierniewski, F. Baret, M. Verbrugghe, J. F. Hanocq and S. Jacquemoud** ... 3691

Measurements of land surface features using an airborne laser altimeter: the HAPEX-Sahel experiment. **J. C. Ritchie, M. Menenti and M. A. Weltz** 3705

Technical Note. False topography perception phenomena and its correction. **A. K. Saraf, J. D. Das, B. Agarwal and R. M. Sundaram** 3725

Measurement error in reflectance data and its implications for regularizing the variogram. **P. M. Atkinson, R. Dunn and A. R. Harrison** 3735

Characterization of MLS $1/f$ noise parameters. **C. L. Lau, G. E. Peckham, R. A. Suttie and R. F. Jarnot** 3751

Book reviews 3761
Calendar of events 3763
Index of authors (with the titles of papers) 3767